



HIGH-PERFORMANCE AEROSOLS



**1001™ Multi-Purpose Lubricant - Medallion™ Penetrating Chain Oil
Mechanics Thread Loosener - Gearmate® 1000 - Wire Rope Lubricant
Moly Dry Film Aerosol - Open Chain Lubricant - Handi-Lube®
Surtac® 2000 - Citrus Select™ - SwitchArmor®**



1001™ MULTI-PURPOSE LUBRICANT

TYPE / APPLICATION:

General-purpose spray for lubricating, cleaning, and rust prevention. It's a superior liquid lubricant for wire ropes, cables, springs and chains.

FEATURES:

Non-badder spray can delivers a very narrow spray for accuracy.



MEDALLION™ PENETRATING CHAIN OIL

TYPE / APPLICATION:

Food grade general-purpose penetrating spray for lubricating, cleaning, loosening and rust prevention.

NSF registered for H-1.

FEATURES:

Available in bladder and Non- bladder sprays. The bladder option offers superior penetration due to foaming. Non-bladder spray is very narrow and accurate.



MECHANICS THREAD LOOSENER


TYPE / APPLICATION:

Light oil that quickly loosens tightened and corroded parts. Provides maximum penetration of rust, corrosion, gum and varnish to loosen tightened arts.

FEATURES:

Foams when sprayed; increasing penetration. It also acts to displace moisture and provides a light lubricating oil to protect metal parts. Excellent for hard-to-reach applications.






OPEN CHAIN LUBRICANT

TYPE / APPLICATION:

Penetrating oil for industrial and motorcycle chains. Its penetrating action draws the lubricant to the pins and bushings of a chain where lubrication is needed most.

FEATURES:

Foaming action increases penetration. It quickly displaces moisture and contaminants, while preventing rust and corrosion.



HANDI-LUBE®

TYPE / APPLICATION:

Heavy-duty black asphaltic oil spray for open gears. Also suitable for heavily loaded chains.

FEATURES:

Dries quickly forming a dense protective coating on open gears. Excellent wear protection.



SURTAC® 2000

TYPE / APPLICATION:

Multi-service lubricant for use on draglines and shovels and an open gear lubricant for kilns, ball mills, rack and pinion systems, grinding mills, dryers and wind turbines.

FEATURES:

Non-asphaltic. Forms a matte black protective coating on open gears.



GEARMATE® 1000



TYPE / APPLICATION:

Superior liquid lubricant for open gears, sideways, wire ropes and other rolling or sliding surfaces.

FEATURES:

Dries to an adhesive lubricant film unaffected by changing weather and reduces metal-to-metal contact.



WIRE ROPE LUBRICANT



TYPE / APPLICATION:

Light oil that penetrates even very large wire ropes and cables. Penetrates easily to minimize internal friction and increase the life of wire rope. Protects against corrosion in all weather and salty environments.

FEATURES:

Foaming action increases penetration. Suitable for mining, construction, railroad and heavy industrial applications.



MOLY DRY FILM LUBRICANT



TYPE / APPLICATION:

An aerosol spray containing molybdenum disulfide for high temperature lubrication. Use also where grease or oil are not suitable.

FEATURES:

Dries in 1-3 minutes to form a dense, black, dry lubricating coating that is not easily removed.



CITRUS SELECT™



TYPE / APPLICATION:

Versatile, all-natural solvent, extracted from orange peels, combined with emulsifiers for use in cleaning and degreasing safely and effectively.

FEATURES:

Biodegradable.
Removes tar and grease.
The special formula cuts quickly through heavy grease and grime and can be easily rinsed away with water.



SWITCHARMOR®



TYPE / APPLICATION:

Switch plate dry film lubricant specially formulated to provide a tough, durable and long-lasting shield of protection

FEATURES:

Forms a protective coating on the switch plate, resists rain and reduces wear.

