

SAFETY DATA SHEET

Issuing Date 01-May-2017 Revision Date 25-Feb-2019 Revision Number 1



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Omnitask® EP1 , EP2 & TK 2

Other means of identification

(M)SDS Number 1390898

Recommended use of the chemical and restrictions on use

Recommended Use For industrial use only

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Identification Whitmores Manufacturing ,LLC.

Address Whitmore Manufacturing

930 Whitmore Drive

Rockwall, Texas USA 75087

Telephone US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108

E-mail Sales@whitmores.com

Emergency telephone number

Company Emergency Phone

Number

1-800-699-6318

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

2. HAZARDS IDENTIFICATION

Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

Appearance Dark gray to black Physical state Paste / Gel Odor Petroleum



GHS Label elements, including precautionary statements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear personal protective equipment/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	>60	-	-
Graphite	7782-42-5	1 - 3	-	-
Molybdenum (IV) sulfide	1317-33-5	1 - 3	-	-

4. FIRST AID MEASURES

First aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation Remove to fresh air. If symptoms persist, call a physician. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.



Never give anything by mouth to an unconscious person. Get medical attention.

Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing vapors or mists. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid breathing vapors or mists. Use personal protective

equipment as required.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.



7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke

when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name		ACGIH T	TLV OSHA PEL		NIOSH IDLH		LH	
Graphite		TWA: 2 mg/m ³ i	respirable	TWA: 15 r	mg/m³ total dust	IDLH: 1250 mg/m ³		
7782-42-5		particulate matte			ynthetic	TW	4: 2.5 mg/m ³	respirable
		except graphite fibers		TWA: 5 mg/m³ respirable		dust		
				fraction synthetic				
				(vacated) TWA: 2.5 mg/m ³				
				respirable dust natural				
				(vacated) TWA: 10 mg/m³ total				
				dust synthetic				
				(vacated) TWA: 5 mg/m ³				
				respirable fraction synthetic TWA: 15 mppcf natural				
Molyhdonum (IV) sulfido		TWA: 10 mg/m³ Mo inhalable		TWA: 15 mg/m³ total dust		IDLH: 5000 mg/m³ Mo		
Molybdenum (IV) sulfide 1317-33-5		particulate matter		(vacated) TWA: 10 mg/m³ Mo		IDEN. 3000 mg/m Wo		
1317-33-3		TWA: 3 mg/m ³ Mo respirable		(vacated) 1 vv/t. 10 mg/m ivio				
		particulate n	•					
Chemical Name		Alberta	British C	olumbia Ontario TWAE\		V	Quebec	
Graphite	-	ΓWA: 2 mg/m ³	TWA: 2	2 mg/m³	TWA: 2 mg/m	³ TWA: 2 mg/m ³		mg/m³
7782-42-5		-						-
Molybdenum (IV) sulfide	T	WA: 10 mg/m ³	TWA: 3	3 mg/m ³	TWA: 10 mg/m	1 ³	TWA: 10) mg/m³
1317-33-5	-	ΓWA: 3 mg/m ³	TWA: 1	D mg/m ³ TWA: 3 mg/m ³		3		

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Hand protection Wear suitable gloves.



Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Handle in accordance with good industrial hygiene

and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Paste / Gel
Appearance Dark gray to black

Odor Petroleum

Color No information available

Odor Threshold Not applicable

Property Values Remarks Method

pH 7

Melting / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone known

Flash Point >204.44°C Cleveland Open Cup (COC)

Evaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limitNo data availableLower flammability limitNo data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative density0.90 to 0.93

Water Solubility Insoluble

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water Not applicable

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Explosive properties

Oxidizing properties

No information available
No information available

Other Information

Softening Point
Molecular Weight
VOC Content (%)
Liquid Density
Bulk Density
Particle Size
Particle Size
No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.



Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Excessive heat.

Incompatible materialsNone known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact None known.

Skin contact None known.

Ingestion Specific test data for the substance or mixture is not available. Harmful if swallowed. (based

on components).

Information on toxicological effects

Symptoms Coughing and/ or wheezing.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 657.50 mg/kg
ATEmix (inhalation-gas) 5,917.10 mg/L
ATEmix (inhalation-dust/mist) 1.97 mg/L
ATEmix (inhalation-vapor) 14.50 mg/L

Unknown acute toxicity No information available

Component Information

Somponent imormation					
Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50		
Petroleum distillates, hydrotreated heavy naphthenic	> 5000 mg/kg (Rat)	> 2000 mg/kg(Rabbit)			
Molybdenum (IV) sulfide			> 2820 mg/m³ (Rat) 4 h		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation
No information available.

Serious eye damage/eye irritation
Respiratory or skin sensitization
No information available.

Germ cell mutagenicity
No information available.

Carcinogenicity
No information available.

No information available.



Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

EcotoxicityThe environmental impact of this product has not been fully investigated.

Persistence and Degradability No information available.

Bioaccumulation There is no data for this product.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOTNOT REGULATEDProper Shipping NameNON REGULATED

Hazard Class N/A

TDG Not regulated

MEX NOT REGULATED

ICAO NOT REGULATED

IATA Not regulated

Proper Shipping Name NON REGULATED

<u>IMDG</u> Not regulated

RID NOT REGULATED

ADR NOT REGULATED



ADN NOT REGULATED

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA Complies.

DSL/NDSL Not listed.

EINECS/ELINCS Not listed.

ENCS Not determined.

KECL Not determined.

PICCS Contact supplier for inventory compliance status.
AICS Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations



California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		s			
Graphite 7782-42-5	X	X	Х		
Molybdenum (IV) sulfide 1317-33-5		X			

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 1 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal Protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 01-May-2017

Revision Date 25-Feb-2019

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

